



100W LED Semi-Cutoff Wall Pack

L.E.D. Forward Throw Semi-Cutoff Wall pack



Features

- Lumileds LED, high luminous efficiency and long working life.
- High efficiency LED Driver, the wide range input voltage AC100-277V / 277 - 480 V.
- Die Cast aluminium cooling design, high quality and better cooling for LED Tj < 85°C.
- Excellent Optics design, greatly improve the light utilization and evenness.
- Photocell Control Available (Option).




Product Applications

V.E.'s LED Semi-Cutoff Wall Pack series can be widely used in indoor or outdoor lighting (Wet location), like mechanical or electronic processing workshops, storage warehouses, steel mills, gas stations, toll booth, waiting rooms, the platforms of railway station, indoor stadiums.

Unit : inch(mm)

Structure Features

- Shell materials: Aluminum & PC.
- Finish: Dark Bronze/Black/White
- Net weight : 4.11Kg (9.1 lbs)
- Product Size: 348mm*157mm*156.3mm
- Carton Size: 405mm*235mm*235mm






Technical Parameters

VE-HWP10W27-XXK-Z[D,W,B,S]-Y[Blank,P]

Power	100W	Lighting Angle	83°
Input Voltage	AC100-277V/277-480V	LED Brightness Decay	<5%/6000 hrs
PF	>0.95	Working Life	>50000 hrs
Driver Efficiency	>90%	Working Temperature	-30 - +40°C
Luminous Flux	13800 Lm	Storage Temperature	-40 - +80°C
Color Temperature	4000K/5000K	Protection Level	Wet Location/IP66
CRI	Ra>70	Cable	Input Connect, No cable
Optional dimming function	1-10Vdc	Eff	>130lm/w

Photometry



Example: VE-HWP10W27-XXK-Z[D,W,B,S]-Y[Blank,P]

VE	HWP	10W	27	XXK	Z	Y
	Product	Power	Voltage	Color Temp	Finish	Control
	HWP	10W(100W)	27	40K(4000K)	D (Dark Bronze)	P
	Semi-Cutoff		AC100-277V	50K(5000K)±500K	W (White)	Photocell
	Wall Pack		48		B (Black)	
			AC277-480V		S (Silvery)	